

Appl. No. 10/020,529
Amdt. Dated
Reply to Office Action of August 23, 2004

Docket No. EN11358
Customer No.. 27940

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A latching apparatus, comprising:
 - a. a base member having a rotational connecting means and a latching means;
 - b. a rotational member having a rotational mating means, a sliding latching means and a latching mating means; and
 - c. a detachable member;wherein the rotational mating means is mechanically coupled to the rotational connecting means; and
wherein the detachable member is fixedly coupled to the rotational member when the latching mating means is coupled to the latching means;
wherein the rotational member comprises a retention hood for receiving the detachable member.
2. (Canceled) ~~The latching apparatus of claim 1, wherein the rotational member further comprises a retention hood.~~
3. (Currently Amended) ~~The latching apparatus of claim 2~~ A latching apparatus, comprising:
 - a. a base member having a rotational connecting means and a latching means;
 - b. a rotational member having a rotational mating means, a sliding latching means, a retention hood and a latching mating means; and
 - c. a detachable member.

Appl. No. 10/020,529
Amdt. Dated
Reply to Office Action of August 23, 2004

Docket No. EN11358
Customer No. 27940

wherein the rotational mating means is mechanically coupled to the rotational connecting means; and

wherein the detachable member is fixedly coupled to the rotational member when the latching mating means is coupled to the latching means, wherein the sliding latching means comprises:

- a. a sliding latch;
- b. a hook mechanically coupled to the sliding latch;
- c. an inclined ramp mechanically coupled to the sliding latch; and
- d. a coiled spring coupled between the rotational member and the sliding latch.

4. (Original) The latching apparatus of claim 3, wherein the latching mating means comprises a latch post.
5. (Original) The latching apparatus of claim 4 wherein the base means has at least one vertical wall for engaging the sliding latching means.
6. (Original) The latching apparatus of claim 5, wherein the latching means comprises a push-push latch.
7. (Currently Amended) The latching apparatus of claim 6, wherein the detachable member further comprises at least one detent[[e]].
8. (Currently Amended) The latching apparatus of claim 7, wherein when the latching means engages with the latching mating means, the at least one vertical wall actuates the sliding switch means such that the hook of the sliding switch means engages the detent[[e]] of the detachable means.
9. (Original) The latching apparatus of claim 3, wherein the base member further comprises:
 - a. a leaf spring coupled to the base member; and

Appl. No. 10/020,529
Amdt. Dated
Reply to Office Action of August 23, 2004

Docket No. EN11358
Customer No.. 27940

b. a dampening cog coupled to the base member;
wherein when the rotational mating means is coupled to the rotational connecting means, the leaf spring exerts a first angular force against the rotational member; and
further wherein the dampening cog exerts a second angular force in a direction opposite that of the first angular force, and in a magnitude proportional to the first angular force.

- 10.(Original) The latching apparatus of claim 9, wherein the rotational mating means comprise at least one platform leg, the platform leg having at least one assembly hole.
- 11.(Original) The latching apparatus of claim 10, wherein the rotational connecting means comprises at least one base post.
- 12.(Original) The latching apparatus of claim 11, wherein the detachable member comprises a cellular telephone.